

Amendments to the Claims

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims:

1. (Original) Reflector arrangement, including a first reflector (11), a second reflector (14) which is arranged inside the first reflector (11), wherein the two reflectors (11, 14) are arranged in the region of and preferably on a center axis (18) of the reflector arrangement (10), and a carrier element (12) for receiving at least one lighting means (13), characterised in that at least one further lighting means (20) is arranged and in that the two lighting means (13, 20) are arranged one behind the other near the center axis.

2. (Original) Reflector arrangement according to claim 1, characterised in that the carrier element (12) is constructed as a focusing unit (22) for the lighting means (13, 20) in such a way that the carrier element (12) is slidable axially in the longitudinal direction of the center axis (18) of the reflectors (11, 14) relative to the latter.

3. (Currently Amended) Reflector arrangement according to claim 1 ~~or~~ 2, characterised in that the second reflector (14) is arranged in the region of the lighting means (13).

4. (Currently Amended) Reflector arrangement according to claim 2-~~or~~3, characterised in that the reflector (14) is slidable axially in the longitudinal direction of the centre axis (18) on the carrier element (12) or focusing unit (22).

5. (Currently Amended) Reflector arrangement according to ~~any of~~ claims 1 to 4, characterised in that the lighting means (13, 20) are slidable as a unit axially in the longitudinal direction of the centre axis (18).

6. (Currently Amended) Reflector arrangement according to ~~any of~~ claims 1 to 5, characterised in that the first lighting means (13) is arranged at a free end (15) of the carrier element (12) or focusing unit (22) and the second lighting means (20) is arranged in alignment therebehind.

7. (Currently Amended) Reflector arrangement according to ~~any of~~ claims 1 to 5, characterised in that the lighting means (13, 20) are offset from the centre axis (18) and/or arranged at an angle to each other.

8. (Currently Amended) Reflector arrangement according to ~~any of~~ claims 1 to 7, characterised in that the reflector (14) is associated with the front lighting means (13), that is, the one located at the free end (15) of the carrier element (12) or focusing unit (22).

9. (Currently Amended) Reflector arrangement according to ~~any of claims 1 to 8~~, characterised in that each lighting means (13, 20) is separately controllable, such that the luminosity or intensity is individually adjustable.

10. (Currently Amended) Reflector arrangement according to ~~any of claims 1 to 9~~, characterised in that each lighting means (13, 20) is connected to a separate energy source (17, 21).

11. (Currently Amended) Reflector arrangement according to ~~any of claims 1 to 10~~, characterised in that in the region of at least one lighting means (13, 20) is arranged a filter element.

Claim 12. (Canceled)

Claim 13. (Canceled)

Claim 14. (Canceled)